

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Lorsban*-4E

EPA Reg. No. 62719-220

EPA 24(c) Special Local Need Registration SLN NY-020002

(For Distribution and Use Only in the State of New York)

Control of Seed Maggots in Snapbeans

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Lorsban*-4E insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Lorsban-4E according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Lorsban-4E.

Directions for Use

At Plant Treatment:

Apply 1.8 fluid ounces of Lorsban-4E per 1,000 feet of row at a 30-inch row spacing. Mix the specified dosage in a minimum of 10 gallons of spray per acre and apply to the soil surface using suitable ground spray equipment. Fluid ounces of finished spray required per 100 feet of row for 30-inch row spacing are given in the accompanying table. Apply the spray in a 3 to 5 inch wide band over the row behind the planter shoe and in front of the press wheel to achieve shallow incorporation. To improve the activity of Lorsban-4E against seed maggots, incorporate the Lorsban-4E into the top 1/2 to 1-inch of soil using tines or chains or other suitable equipment.

Spray Volume Per Acre	Fluid Ounces of spray volume per 100 feet of row for 30-inch row spacing
10 gallons	7.3
15 gallons	11.0
20 gallons	14.7

Restrictions:

- **Do not** make more than one application per year.
- **Do not** apply more than 2 pints of Lorsban-4E per acre.
- **Do not** apply Lorsban-4E at-plant if the field was treated with a preplant incorporated treatment of Lorsban-4E.

Precaution: Insecticides, including Lorsban-4E, may contribute to the stress of the snapbean plant under certain environmental conditions. This stress may reduce plant stand or interfere with normal plant development. Herbicides used preplant incorporated may interact with insecticides and enhance this stress.

Expiration Date: This label is valid until December 31, 2002 or until otherwise amended, withdrawn, canceled, or suspended.

24(c) Registrant: Dow AgroSciences LLC
9330 Zionsville Rd
Indianapolis, IN 46268

*Trademark of Dow AgroSciences LLC

D06-062-084
Approved: 06/21/2002
Initial printing.